

are characteristic to zeolite A were found in the region of 125-945, 800-650 and 500-425 cm^{-1} .

REFERENCES

- [1] L. A. Regassa, "Synthesis and Characterization of Zeolite A from Kaolin of Ethiopia: Studies of its application as a detergent builder and in tannery wastewater treatment Lijalem Ayele Regassa A Thesis Submitted to Department of Chemistry Presented in Fulfillment of the R," 2016.
- [2] O. O. Ltaief, S. Siffert, S. Fourmentin, and M. Benzina, "Synthesis of Faujasite type zeolite from low-grade Tunisian clay for the removal of heavy metals from aqueous waste by batch process: Kinetic and equilibrium study," *Comptes Rendus Chim.*, vol. 18, no. 10, pp. 1123–1133, 2015.
<https://doi.org/10.1016/j.crci.2015.03.013>
- [3] C. Belviso, F. Cavalcante, A. Lettino, and S. Fiore, "Applied Clay Science A and X-type zeolites synthesised from kaolinite at low temperature," *Appl. Clay Sci.*, vol. 80–81, pp. 162–168, 2013.
<https://doi.org/10.1016/j.clay.2013.02.003>
- [4] A. Áurea, B. Maia, R. F. Neves, R. S. Angélica, and H. Pöllmann, "Applied Clay Science Synthesis, optimisation and characterisation of the zeolite NaA using kaolin waste from the Amazon Region . Production of Zeolites KA, MgA and CaA," *Appl. Clay Sci.*, vol. 108, pp. 55–60, 2015.
<https://doi.org/10.1016/j.clay.2015.02.017>
- [5] J. Q. Wang, Y. X. Huang, Y. Pan, and J. X. Mi, "New hydrothermal route for the synthesis of high purity nanoparticles of zeolite y from kaolin and quartz," *Microporous Mesoporous Mater.*, vol. 232, pp. 77–85, 2016.
<https://doi.org/10.1016/j.micromeso.2016.06.010>
- [6] T. V. Ojumu, P. W. Du Plessis, and L. F. Petrik, "Synthesis of zeolite A from coal fly ash using ultrasonic treatment - A replacement for fusion step," *Ultrason. Sonochem.*, vol. 31, pp. 342–349, 2016.
<https://doi.org/10.1016/j.ultrsonch.2016.01.016>
- [7] M. Gougazeh and J. C. Buhl, "Synthesis and characterization of zeolite A by the hydrothermal transformation of natural Jordanian kaolin," *J. Assoc. Arab Univ. Basic Appl. Sci.*, vol. 15, no. 1, pp. 35–42, 2014.
<https://doi.org/10.1016/j.jaubas.2013.03.007>
- [8] J. Wang, Y. Huang, Y. Pan, and J. Mi, "Microporous and Mesoporous Materials Hydrothermal synthesis of high purity zeolite A from natural kaolin without calcination," *Microporous Mesoporous Mater.*, vol. 199, pp. 50–56, 2014.
<https://doi.org/10.1016/j.micromeso.2014.08.002>
- [9] L. Ayele, J. Pérez-Pariente, Y. Chebude, and I. Díaz, "Conventional versus alkali fusion synthesis of zeolite A from low-grade kaolin," *Appl. Clay Sci.*, vol. 132–133, pp. 485–490, 2016.
<https://doi.org/10.1016/j.clay.2016.07.019>
- [10] L. Ayele, J. Pérez-Pariente, Y. Chebude, and I. Díaz, "Synthesis of zeolite A from Ethiopian kaolin," *Microporous Mesoporous Mater.*, vol. 215, pp. 29–36, 2015.
<https://doi.org/10.1016/j.micromeso.2015.05.022>
- [11] S. A. Kovo, "Development of zeolites and zeolite membranes from Ahoko Nigerian Kaolin," Dr. thesis. Univ. Manchester, Engl., 2011.
- [12] S. Kahraman, "Characterization of silica polymorphs in kaolins by X-ray diffraction before and after phosphoric acid digestion and thermal treatment us," vol. 552, pp. 201–206, 2005.
<https://doi.org/10.1016/j.aca.2005.07.045>
- [13] M. M. J. Treacy, "Collection of Simulated XRD Powder Patterns for Zeolites Editors :," 2001.
- [14] W. P. U. D Hartanto1,* , A B Pambudi1, D N Cahyanti1, "On The Synthesis of ZSM-5 Directly from Kaolin Bangka with Aging Time On The Synthesis of ZSM-5 Directly from Kaolin Bangka with Aging Time," 2019.
<https://doi.org/10.1088/1757-899X/588/1/012039>