



Fig. 4 (A). Shoot regeneration on stem explant cultured on 2.0 mg/L BAP (B). Root formation (C). Callus induction for stem explants (D). Callus induction for root explants (E). Callus induction for leaf explants.

ACKNOWLEDGMENT

The authors wish to express their gratitude to the Department of Agriculture Science, Sultan Idris Education University (UPSI), Perak, Malaysia for supporting this research.

REFERENCES

- [1] FAOSTAT (2017). Food and agriculture organisation for the United Nations –Statistics online database. Available from <http://faostat.fao.org> [Retrieved on 25 April 2017].
- [2] Federal Agricultural Marketing Authority, (2014). “FAMA marketing main statistic 2011, 5th Edition”. Ministry of Agriculture and Agro-based Industry
- [3] Gana, A. S. (2010). The role of synthetic growth hormones in crop multiplication and improvement. *African Journal of Biotechnology* 10(51), 10330-10334. <https://doi.org/10.5897/AJB10.301>
- [4] Islam, R., Rahman, S. M., Hossain, M., & Joarder, O. I. (1993). In vitro clonal propagation of papaya (*Carica Papaya* L.). *Pak. J. Bot.*25(5), 189-192.
- [5] Malaysian Agricultural Research and Development Institute. (2014). Breeding horticultural crops @ MARDI. Kuala Lumpur: MARDI.
- [6] Malaysian Agriculture Department. (2013). Menuai tanaman betik *Carica papaya* L. Malaysia: Malaysian National Library.
- [7] Ogunsola, K. E., Iiori, C. O. (2008). In vitro propagation of miracle berry (*Synsepalum dulcificum* Daniel) through embryo and nodal cultures. *African Journal of Biotechnology*, 7(3), 244-248.
- [8] Panjaitan, S. B., Aziz, M. A., Rashid A. A., Saleh, N. M. (2007). In-vitro regeneration from shoot tip of field-grown hermaphrodite papaya (*Carica papaya* L. cv. eksotika). *International Journal of Agriculture & Biology*,9(6), 827-832.
- [9] Roy, P. K., Roy, S. K., Hakim, M. L. (2012). Propagation of papaya (*Carica papaya* L.) cv. Shahi through in vitro culture. *Bangladesh J. Bot.* 41(2), 191-195.
- [10] Sevik, H., & Guney, K. (2013). Effects of IAA, IBA, NAA and GA3 on rooting and morphological features of *Melissa officinalis* L. stem

- cuttings. *The Scientific World Journal*, volume 2013, <http://dx.doi.org/10.1155/2013/909507>
- [11] Teixeira Da Silva, J.A. (2013). In vitro rhizogenesis in papaya (*Carica papaya* L.). *J. Plant Develop*, 20, 51-55.
- [12] Teo, C. K. H (1992). *Pengenalan teknologi kultur tisu tumbuhan*. Pulau Pinang: Universiti Sains Malaysia.
- [13] Usman, M., Fatima, B., Jaskani, M. J., Khan, M. M. (2002). Development of a callogenic protocol in papaya (*Carica papaya* L.) 1. In vivo grown vegetative explant
- [14] Zulkarnain. (2014). *Kultur jaringan tanaman*. Jakarta: Bumi Aksara.